# ENSYSTEX"

Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal, Add rinsings to spray tank.

Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling break, crush or puncture and deliver empty packaging to an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government resultations.

Do not burn empty containers or product.

## SAFETY DIRECTIONS

STORAGE AND DISPOSAL

When opening the container and preparing the spray for use wear cotton overalls buttoned to the neck and wrist (or equivalent dothing) and elbow length chemical resistant gloves. When using the prepared spray wear cotton overalls, over normal dothing, buttoned to the neck and wrist and chemical resistant elbow length chemical resistant gloves and disposable (mist) face mask covering mouth and nose. Wash hands after use. After each day's use, wash gloves and contaminated dothing.

# FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand  $0800\,764\,766$ .

#### SDS

Additional information is listed in the Safety Data Sheet which is available from Ensystex on request. Call Customer Service on 13 35 36 or visit our web site at www.Ensystex.com.au.

## NOTICE

Ensystex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Ensystex, or under abnormal conditions.

Batch	No.	

Date of manufacture:

A-AU-CHEAT1001 4.02 10.20

#### GENERAL INSTRUCTIONS:

ATTRATHOR Targeted Insecticide is a targeted crack and crevice treatment for cockroaches and ants that can also be used for the control of other crawling pests. It can be used in warehouses, restaurants, food manufacturing, processing and storage plants, supermarkets, hotels, hospitals, domestic and other similar situations

#### MIXING

Invert the ATTRATHOR container several times to ensure thorough mixing of concentrate. Half fill the spray tank with water and then add the required quantity of ATTRATHOR. Stir and then top up the spray tank to the required volume. The use of this product in a tank mix with other insecticides is not recommended as the behaviour and efficacy of the product may be affected. Ensure equipment is clean.

### INSECTICIDE RESISTANCE WARNING:



For insecticide resistance management ATTRATHOR Targeted Insecticide is a Group 28 Insecticide. For maturally occurring insect biotypes resistant to ATTRATHOR. Targeted Insecticide and other Group 28 Insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if ATTRATHOR Targeted Insecticide or other Group 28 insecticides are used repeatedly.

The effectiveness of ATTRATHOR Targeted Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Ensystex Australasia Pty Ltd accepts no liability for any losses that may result from the failure of ATTRATHOR Targeted Insecticide to control resistant insects.

ATTRATHOR Targeted Insecticide may be subject to specific resistance management strategies. For further information contact Ensystex Australasia Pty Ltd.

### PRECAUTIONS

Avoid contact with food, food utensils, or places where food is prepared or stored.

Before use, remove or cover all exposed foodstrifs. Cover all dishes and utensils, and places where food is prepared or stored. Avoid a

Do not apply using equipment carried on the back of the user.

### RE-ENTRY PERIOD

Do not enter treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing). Clothing must be laundered after each day's use.

Do not allow public re-entry into treated areas until the spray has dried.

#### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Highly toxic to fish and aquatic organisms. Do NOT apply to areas where surface water is present. Rinse waters and runoff from treated areas MUST be prevented from entering drains or waterways. Do NOT apply if heavy rains are expected to occur within 48 hours of application. Do NOT contaminate streams, rivers or waterways with the chemical or used containers. Dangerous to bees.

## PROTECTION OF PETS AND LIVESTOCK

Before spraying remove animals and pets from the areas to be treated. Cover or remove any open food and water containers. Cover or remove (as applicable) fish ponds, aquariums, etc. before spraying.





## DIRECTIONS FOR USE

RESTRAINT
DO NOT apply to excessively wet soils, immediately after or during heavy rain, to avoid runoff of the chamical

of the chemical.					
SITUATION	PEST	RATE		CRITICAL COMMENTS	
idulities as activatives (including but not limited to food processing establishments, shops, factories, farm buildings, ships, trains, aeroplanes, offices, schools, storerooms, hospitals, barracks, private houses, and external areas associated with such establishments.)	Cockroaches	50 mL per 5 L water	will provi	remises thoroughly and locate all insect harbourages. Apply directly into harbourages such as cracks and cre de faster control than fewer larger spots, especially for German cockroach control. Apply behind sinks, stoves eatments when pests begin to reappear.	vices away from where it is likely to be removed by cleaning programs. Numerous smaller placements , and pipes paying particular attention to all cracks and crevices which might contain insects.
	Ants	50 mL per 5 L water	External	pared spray to indoor and outdoor surfaces where ants are tracking. Internal harbourage sites include (but . harbourage sites include (but are not restricted to) areas such as building exteriors, eaves, walls, fences, g Reapply as necessary. For indoor use, pay particular attention to dark protected areas such as cracks and cr	arages, sheds, gazebos, ornamental plants, bushes, shrubs, hedges, shady or damp areas around
	Crawling insects and pests including: Earwigs (Forficula auricularia) House crickets (Acheta domesticus) Silverfish (Lepismatidae) Slaters (Porcellionidae) Springtails (Collembola)	50 mL per 5 L water	Apply dir	ectly onto pests as a spot treatment.	
	House flies (Musca domestica)	50 mL per 5 L water	On poro	urfaces where flies are likely to rest. <b>On non-porous surfaces</b> apply as a coarse spray at the rate of 1 L of e us surfaces or use through power equipment, spray at the rate of 750 mL to 1 L of emulsion per 10m² dep ating non-porous and porous surfaces do not exceed the point of run-off.	nulsion per 20m². ending on porosity of surface.
	Millipedes (Ommatoiulus moreletii)	115 mL per 5 L of water	attention	use only. Treat external surfaces 300 mm up and 300 mm out from where the building or structure touch to potential entry points, such as weep holes, cracks and crevices. to where pests may be active away from the building including retaining walls, fences, garden beds, sheds ment.	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.